
PERGO® VINYLPLANKS&TILES





new trendy decors

Max out on minimalism with our new tile decors of concrete, concrete terrazzo and marble. The smooth feeling and raw look makes for an interesting backdrop to almost any style.

19

« FRONT PAGE GREY MODERN MINERAL V2120-40142

Think bigger!

Size matters when it comes to adding space and volume to a room. Our Modern planks are wider and longer than ever to create a generous and impressive atmosphere in any room.

Waterproof durability

What looks great, can withstand dirt as well as liquids, and lasts (almost) a lifetime? Correct! A waterproof vinyl floor from Pergo. As a bonus, it's also resistant to dirt and and easy to keep clean.







Installling a new floor is easier than you might think. We'll guide you every step of the way!





It's a revinylution!

Pergo sets a new standard in vinyl flooring. At first sight you'll notice the authentic textures and naturalistic designs rich with true-to-life detail. Add to that the easy click installation and unique surface protection and you'll see why Pergo vinyl floors make a great choice for many areas inyour home.



Splash ohoy!

Some rooms see more action than others – not to mention more splashes.

All Pergo vinyl floors are 100 % waterproof.







As the ultimate proof of quality, Pergo vinyl floors come with a guarantee of up to 25 years.







GREY WASHED OAK, PLANK V3131-40082





Make your room grow with our Modern planks. The wider, longer size gives the room a more inviting and spacious feeling.

The impressive 1510 x 210 mm plank format is complemented by our naturalistic textures to perfectly mimic nature. The natural look is achieved by adding subtle nuances, high contrasts and variations between individual planks.



SAND BEACH OAK, PLANK V3131-40103


















BRING IT ON!

Pergo vinyl floors can take a whole lot more than a knock or two. If you're looking for a durable floor to beautify your entrance halls or other high-wear areas, look no further. The new TitanV™ top protective layer efficiently seals the surface, offering improved resistance against staining and soiling, and protection against scratches.









LEEDS SE A taste of Pergo! Want to see our floors in real life? Visit a dealer or order sampls from

All decors in 2 quality levels





optimum

Very durable floors for use in commercial applications

- » Class 33
- » TitanV[™] scratch, stain and wear resistant layer
- » Fast & easy PerfectFold™V click system or glue down installation
- » 5-year guarantee for commercial use
- » 25-year guarantee for residential use

premium

Durable floors for domestic use

- » Class 32
- » TitanV $^{\!\scriptscriptstyle\mathsf{TM}}$ scratch, stain and wear resistant layer
- » Fast & easy PerfectFold™V click system
- » Guarantee for commercial use on request
- » 20-year guarantee for residential use

Ever wondered what Vinyl planks & tiles is

- and what makes Pergo special?
It's in the details!



- Superior TitanV[™] layer for scratch, stain and wear resistance
- 2 Fine printed vinyl decor layer
- 3 Highly impact resistant vinyl core
- 4 Extra stabilizing layer containing glass fiber
- 5 Highly impact resistant vinyl backing

modern plank glue 1515 x 217 mm click 1510 x 210 mm 4-way bevel



■ V2131-40072



CLICK







GLUE

CLICK

CLICK









NORDIC WHITE PINE, PLANK GREY WASHED OAK, PLANK GREY RIVER OAK, PLANK GLUE ■ V3231-40072 GLUE ■ V3231-40082 GLUE ■ V3231-40084 CLICK ■ V3131-40072 CLICK ■ V3131-40082 CLICK V3131-40084 ■ V2131-40082

CLICK

SEASIDE OAK, PLANK GLUE ■ V3231-40107 CLICK ■ V3131-40107 ■ V2131-40107

MODERN NATURE OAK, PLANK ■ V3201-40016 GLUE ■ V3201-40018 ■ V3107-40016 CLICK ■ V3107-40018 ■ V2107-40016 CLICK ■ V2107-40018

CLASSIC NATURE OAK, PLANK GLUE ■ V3201-40023 CLICK ■ V3107-40023 ■ V2107-40023 CLICK

GOLDEN NATURE OAK, PLANK GLUE ■ V3201-40022 CLICK ■ V3107-40022 CLICK ■ V2107-40022

■ V3201-40013 GLUE V3107-40013 CLICK CLICK





CLICK





■ V2131-40084











LIGHT WASHED OAK, PLANK GLUE ■ V3231-40079 CLICK ■ V3131-40079

CLICK

LIGHT DANISH OAK, PLANK GLUE ■ V3231-40099 ■ V3131-40099 CLICK ■ V2131-40079 CLICK ■ V2131-40099

LIGHT VILLAGE OAK, PLANK GLUE ■ V3231-40095 CLICK ■ V3131-40095 ■ V2131-40095

BEIGE WASHED OAK, PLANK GLUE ■ V3231-40080 ■ V3131-40080 CLICK CLICK ■ V2131-40080

SAND BEACH OAK, PLANK GLUE ■ V3231-40103 ■ V3131-40103 CLICK CLICK ■ V2131-40103

GLUE ■ V3201-40021 CLICK V3107-40021 CLICK ■ V2107-40021

BROWN CHALET PINE, PLANK GLUE V3201-40056 CLICK ■ V3107-40056 CLICK ■ V2107-40056

NATURE MANSION OAK, PLANK GLUE ■ V3201-40014 CLICK ■ V3107-40014 ■ V2107-40014

MODERN COFFEE OAK, PLANK GLUE ■ V3201-40019 CLICK V3107-40019 ■ V2107-40019

















LIGHT HIGHLAND OAK, PLANK GLUE ■ V3231-40100 CLICK ■ V2131-40100



BRITISH OAK, PLANK GLUF ■ V3231-40098 ■ V3131-40098 CLICK ■ V2131-40098



NATURAL HIGHLAND OAK, PLANK DARK HIGHLAND OAK, PLANK ■ V3231-40102 GLUF V3131-40102 CLICK ■ V2131-40102

LIGHT CONCRETE

WARM GREY CONCRETE GLUE

■ V3218-40050 ■ V3120-40050 CLICK ■ V2120-40050

DARK GREY CONCRETE GLUE ■ V3218-40051

V3120-40051

■ V2120-40051

■ V3218-40035

■ V3120-40035

■ V2120-40035

OXIDIZED METAL CONCRETE ■ V3218-40045 CLICK V3120-40045 ■ V2120-40045



BLACK CITY OAK, PLANK

GLUE


CLICK



CLICK

CLICK

CLICK



CLICK

CLICK





GLUE

CLICK

CLICK



■ V3218-40049

■ V3120-40049

■ V2120-40049



■ V3218-40034

■ V3120-40034

■ V2120-40034





DARK RIVER OAK, PLANK GLUE ■ V3231-40086 CLICK ■ V3131-40086 ■ V2131-40086








■ V3107-40017

■ V2107-40017

CREAM TRAVERTIN LIGHT GREY TRAVERTIN GLUE ■ V3218-40046 GLUE ■ V3218-40047 CLICK ■ V3120-40046 CLICK ■ V3120-40047 ■ V2120-40046 ■ V2120-40047



GLUE

CLICK

CLICK

CLICK











■ V3201-40020

■ V3107-40020

■ V2107-40020

■ V3107-40015

■ V2107-40015





■ V3218-40143

■ V3120-40143

■ V2120-40143

GLUF

CLICK

CLICK



GLUE

CLICK



■ V2120-40136



■ V3218-40139

■ V3120-40139

■ V2120-40139

GLUE

CLICK

CLICK



■ V3218-40144

■ V3120-40144

■ V2120-40144

SOFT GREY OAK, PLANK GLUF CLICK CLICK






■ V3231-40091

■ V3131-40091





■ V3201-40015 GLUE ■ V3201_40037 ■ V3107-40037 CLICK CLICK ■ V2107-40037



CLICK

CLICK

18

Don't worry!

We'll guide you through the installation process.

Thinking about doing it yourself?

The PerfectFold™ V click system features vertical as well as horizontal locking. The double locking gives the Pergo floor unique stability, and thanks to the new click system, installation is both fast and easy – faster than any vinyl floor on the market. Simply choose one of the three installation methods, and snap the floor into place!


Thanks to the double locking, there are no height differences or open joints. In fact, Pergo vinyl flooring offers unlimited installation in both length and width without expansion profiles of any kind which gives your room a clean and modern look. And if you need to, the PerfectFold™ V system means the floor can be easily removed and reused.

Watch the step-by-step videos on pergo.com

Fast & easy

installation with PerfectFold[™] V system

Use the method that works best for you!



Your floor is just a click away

wallbases & profiles



Wallbase PGVSKRA(-), 2000 x 9 x 48 mm, for Classic Plank and Tiles

PGVSKRB(-), 2000 x 9 x 55 mm, for Modern Plank (see matching matrix for correct art no)

New! Waterproof skirting board to hide expansion joints and protect walls. Perfect match to the floor in colour, structure and gloss. Colour: colour matched. Surface: extremely wear resistant vinyl top layer, waterproof. Core: MDF. Patent pending.

Wallbase, paintable PGVSKRPAINT, 2400 x 8 x 55 mm

Waterproof, paintable skirting board to hide expansion joints and protect walls. Colour: white & paintable. Surface: wear resistant PVC foil with water-resistant finish. Core: MDF.

underlay





Make a great floor greater!

Choosing the right underlay will not only increase walking comfort, but also add functionality to your floor.

Underlay basic PGVUDLBASIC15

Easy to install basic underlay specially developed for Pergo vinyl floors. Good sound absorbent and prevents irregularities. Perfectly suitable for floor heating and cooling. 15 m² / roll. Thickness: 1 mm.

For areas that are subject to excessive direct heat or extreme temperature variations. Perfectly suitable for floor heating and cooling. (E. g. conservatories, glass houses or summer cabins.) 10 m² / roll. Thickness: 1.5 mm.

Sunsafe Underlay

PGVUDLSS10



Combi moulding, aluminium PGPRSILV, 1860 x 10 x 47 mm

The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12.3 mm. Colour: silver. Surface: aluminium.





Expansion profile PGVEXPSILV, 2000 x 7 x 24 mm

Finish off your click floor perfectly. Available in wear resistant aluminium. Colour: silver.





Adapter profile PGVADPSILV, 2000 x 7 x 26 mm

Finish off your click floor perfectly. Available in wear resistant aluminium. Colour: silver.





End profile PGVENPSILV, 2000 x 7 x 18 mm

Finish off your click floor perfectly. Available in wear resistant aluminium. Colour: silver.



installation



Installation tool **PGVTOOL**

Excellent tool for precise cutting straight and 90°. Hand protection with pullbar and lever function. Suited for both left and right handed.



Cutter knife **PGVKNIFEB** NEVKNIFEREFILL

Professional knife, perfect for precised and stable cutting. Ideal for cutting curves and shapes. 10 blades are included.

The Refill includes 40 blades.



PGVGLUE6, 6 kg (+/- 20 m²)

PGVGLUE15, 15 kg (+/- 50 m²) Professional glue, specially developed for Pergo vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.



Glue trowel PGVA2

Ensures perfect glue consumption per m2



PGVSTPCLICK, 2000 x 30 x 15 mm PGVSTPGLUE, 2000 x 40 x 26 mm

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety! Colour: silver.





Stair nose, outer

For installation of Pergo glue vinyl on stairs and steps. Colour: silver.





Stair nose, inner PGVSTPINGLUE, 2500 x 25 x 25 mm

For installation of Pergo glue vinyl on stairs and steps. Colour: silver.





Multiglue PGGLUE290, 290 ml

Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing wallbases and mouldings. Hybrid polymer. One tube gives 15 running meters of skirting.



Sealant PGKIT(-), 310 ml

For a beautiful finish. Available in 8 colours. Water based acrylic.



Radiator caps PGRCINOX15, stainless steel Inner diameter: 15 mm Outer diameter: 54 mm 2 pc / pack.

PGRCINOX22, stainless steel Inner diameter: 22 mm Outer diameter: 54 mm 2 pc / pack.

22 23 Find more technical info on pergo.com



NATURAL VILLAGE OAK, PLANK V3131-40096

maintenance



Vinyl floor cleaning PGVCLEANING1000, 1000 ml

Protects the TitanV™ top protective layer. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Cleaning kit PGCLEANINGKIT

High quality mop set with extra long ergonomic handle and a mop cloth holder.



Repair wax PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com.

You'll be done in a second!

The surface treatment makes your vinyl floor durable as well as easy to keep clean.

General maintenance

Vinyl floors are easy to live with, but as with most things, it needs regular cleaning to stay beautiful. The innovative surface layer with TitanV[™] makes a specific treatment after installation unnecessary, and your floor can easily be cleaned with a broom, vacuum cleaner, or a damp mop. We recommend that you always use a non-aggressive maintenance product, like Pergo vinyl cleaner that maintains the original look of your floor. Do not leave a puddle of water on the floor.

Periodic cleaning and maintenance

Clean the floor routinely by sweeping, vacuum cleaning or damp wiping. Always remove immediately grit, sharp objects, staining agents, moisture or aggressive substances from the floor.

PLEASE NOTE: Never use aggressive cleaning agents, soap or abrasive cleaners or cleaners containing oil or waxes.

Stain removal

Pergo vinyl floors are very resitant against staining and soiling. However it's always recommendable to remove stains as fast as possible. The longer spilled materials are left on the floor, the greater the risk of permanently staining. Persistent stains may be removed using Pergo vinyl cleaner.

Industrial cleaning

In order to increase resistance and enhance cleaning properties of the flooring for commercial application, an appropriate sealer can be applied according to the instructions of the manufacturer of this product.

matching matrix

				Wallbase	Wallbase	Sealant
optimum GLUE	optimum CLICK	premium CLICK	Art. nr / Decor	9 x 48 PGVSKRA(-)	9 x 55 PGVSKRB(-)	310 ml PGKIT(-)
V3201-40013	V3107-40013	V2107-40013	Ecru mansion oak, plank	40013		3
V3201-40014	V3107-40014	V2107-40014	Nature mansion oak, plank	40014		4
V3201-40015	V3107-40015	V2107-40015	Warm grey mansion oak, plank	40015		4
V3201-40016	V3107-40016	V2107-40016	Taupe mansion oak, plank	40016		8
V3201-40017	V3107-40017	V2107-40017	Modern grey oak, plank 46			3
V3201-40018	V3107-40018	V2107-40018	Modern nature oak, plank	40018		3
V3201-40019	V3107-40019	V2107-40019	Modern coffee oak, plank	40019		8
V3201-40020	V3107-40020	V2107-40020	Nordic white oak, plank	40020		1
V3201-40021	V3107-40021	V2107-40021	Light nature oak, plank	40021		3
V3201-40022	V3107-40022	V2107-40022	Golden nature oak, plank	40022		4
V3201-40023	V3107-40023	V2107-40023	Classic nature oak, plank	40023		5
V3201-40036	V3107-40036	V2107-40036	Soft grey oak, plank	40036		2
V3201-40037	V3107-40037	V2107-40037	Grey heritage oak, plank	40037		2
V3201-40054	V3107-40054	V2107-40054	Light grey chalet pine, plank	40054		2
V3201-40055	V3107-40055	V2107-40055	Grey chalet pine, plank	40055		2
V3201-40056	V3107-40056	V2107-40056	Brown chalet pine, plank	40056		4
V3218-40034	V3120-40034	V2120-40034	Grey Scivaro slate	40034		2
V3218-40035	V3120-40035	V2120-40035	Black Scivaro slate	40035		2
V3218-40045	V3120-40045	V2120-40045	Oxidized metal concrete	40045		8
V3218-40046	V3120-40046	V2120-40046	Cream travertin	40046		4
V3218-40047	V3120-40047	V2120-40047	Light grey travertin	40047		2
V3218-40049	V3120-40049	V2120-40049	Light concrete	40049		1
V3218-40050	V3120-40050	V2120-40050	Warm grey concrete			2
V3218-40051	V3120-40051	V2120-40051	Dark grey concrete 40			2
V3218-40136	V3120-40136	V2120-40136	Italian Marble 40136			1
V3218-40139	V3120-40139	V2120-40139	Grey Soft Concrete 40139			2
V3218-40142	V3120-40142	V2120-40142	Grey Modern Mineral	40142		2
V3218-40143	V3120-40143	V2120-40143	Black Modern Mineral	40143		NA
V3218-40144	V3120-40144	V2120-40144	Greige Soft Concrete	40144		2
V3231-40072	V3131-40072	V2131-40072	Nordic white pine, plank		40072	1
V3231-40079	V3131-40079	V2131-40079	Light washed oak, plank		40079	1
V3231-40080	V3131-40080	V2131-40080	Beige washed oak, plank		40080	1
V3231-40082	V3131-40082	V2131-40082	Grey washed oak, plank		40082	2
V3231-40084	V3131-40084	V2131-40084	Grey river oak, plank		40084	2
V3231-40086	V3131-40086	V2131-40086	Dark river oak, plank		40086	2
V3231-40091	V3131-40091	V2131-40091	Black city oak, plank		40091	8
V3231-40095	V3131-40095	V2131-40095	Light village oak, plank		40095	3
V3231-40096	V3131-40096	V2131-40096	Natural village oak, plank		40096	4
V3231-40098	V3131-40098	V2131-40098	British oak, plank		40098	6
V3231-40099	V3131-40099	V2131-40099	Light Danish oak, plank		40099	1
V3231-40100	V3131-40100	V2131-40100	Light highland oak, plank		40100	3
V3231-40101	V3131-40101	V2131-40101	Natural highland oak, plank		40101	4
V3231-40102	V3131-40102	V2131-40102	Dark highland oak, plank		40102	4
V3231-40103	V3131-40103	V2131-40103	Sand beach oak, plank		40103	2
V3231-40107	V3131-40107	V2131-40107	Seaside oak, plank		40107	1



technical guide

		optir	premium		
Features	GLUE	CLICK	CLICK		
Protective top layer against scratch, stain and wear		TitanV™	TitanV™	TitanV™	
Installation method		Glue	PerfectFold™ V	PerfectFold™ V	
Water resistant		•	•		
Thickness		2.5 mm	4.5 mm	4.5 mm	
Guarantee against water, wear and delamination (reside	ntial use)	25 years	25 years	20 years	
Guarantee against water, wear and delamination (comm	5 years (up to 15 yrs on request)	5 years (up to 15 yrs on request)	on request (up to 10 yrs)		
Technical	Test method/standard				
Class of use	EN 649 / EN 16511 (33 - 32)	33	33	32	
Resistance to furniture leg	EN 424	No damage	No damage	No damage	
Resistance to castor chair	ISO 4918	No damage 25000 cyc	No damage 25000 cyc	No damage 25000 cyc	
Fire classification	EN 13501-1	Bfl-S1	Bfl-S1	Bfl-S1	
Impact sound reduction (without underlay)	ISO 712-2	2 dB	4 dB	4 dB	
Impact sound reduction (with Pergo Basic underlay)	ISO 712-2		19 dB	19 dB	
Impact sound reduction (with Pergo Sunsafe underlay)			15 dB	15 dB	
Thermal resistance (without underlay)	EN 12667	0.015 m ² K/W	0.020 m ² K/W	0.020 m ² K/W	
Thermal resistance (with Pergo Basic underlay)	EN 12667		0.040 m ² K/W	0.040 m ² K/W	
Thermal resistance (with Pergo Sunsafe underlay)			0.030 m ² K/W	0.030 m ² K/W	
Formaldehyde emission	EN 14041	E1	E1	E1	
p resistance EN 13893		Class DS Class DS		Class DS	
Slip resistance	DIN 51130	R10 R10		R10	
Dimensional stability	ISO 23999		<0.05%	<0.05%	
Wear resistance	ISO 24388-A	>4400 cycles	>4400 cycles	>2400 cycles	

optimum	length, mm	width, mm	thickness, mm	panels/pack	m²/pack	kg/pack	pack/pallet	m²/pallet	
GLUE									
V3231-xxxxx modern plank, 4V	1515	217	2.5	11	3.616	15.697	48	173.58	
V3201-xxxxx classic plank, 4V	1256	194	2.5	15	3.655	16.900	52	190.06	
V3218-xxxxx tile, 4V	1305	327	2.5	9	3.841	19.200	52	199.71	
CLICK									
V3131-xxxxx modern plank, 4V	1510	210	4.5	7	2.220	17.200	48	106.55	
V3107-xxxxx classic plank, 4V	1251	187	4.5	9	2.105	16.800	52	109.48	
V3120-xxxxx tile, 4V	1300	320	4.5	5	2.080	16.667	52	108.16	
· · ·									

premium	length, mm	width, mm	thickness, mm	panels/pack	m²/pack	kg/pack	pack/pallet	m²/pallet
CLICK								
V2131-xxxxx modern plank, 4V	1510	210	4.5	7	2.220	17.200	48	106.55
V2107-xxxxx classic plank, 4V	1251	187	4.5	9	2.105	16.800	52	109.48
V2120-xxxxx tile, 4V	1300	320	4.5	5	2.080	16.667	52	108.16





EASY INSTALLATION The PerfectFold™ V system makes installation quick and easy. Just fold the planks into place using one of the three methods, and you'll be done in no time.



FIRE RESISTANCE Pergo vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



WEAR PROTECTION The surface of Pergo vinyl offers a multi-layer protective floor finish. The protective TitanV[™] layer provides scratch, stain and wear resistance and easy



WATER RESISTANCE Our Moisture Resistance System combines the waterproof floor with a strong and tight click joint. This gives Pergo vinyl floors some of the best moisture-resistance properties on the market.



SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



HYGIENIC A Pergo vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



IMPACT RESISTANCE Pergo's vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



EASY MAINTENANCE The Pergo TitanV™ protective layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.



CASTOR CHAIR The multi-layer build-up of Pergo vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.









Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Contents°2018 by **3 UNILIN** byba – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.

Our floors look even better in real life!

Visit our website and order samples of your favourite designs.







pergo.com

PERGO®

